MOLECULAR PHYSICS, 1993, VOL. 80, NO. 6, 1569–1577

Index of Authors

with the titles of papers

ALAMICHEL, C., *see* Ben Sari-Zizi, N.
ALLEN, M. P., *see* Cleaver, D. J.
ALLEN, M. P., *see* Wilson, M. R.
AMOS, M. D., *see* Sear, R. P.
AMOS, R. D., *see* Laming, G. J.
ANDRÉS, J. L., *see* Martí, J.
AUGSPURGER, J. D., and DYKSTRA, C. E.: Isotropic and anisotropic proton chemical shielding surface of water, 117
AUSSENEGG, F. R., *see* Kümmerlen, J.

BAJAJ, P. N., *see* Talukdar, R.
BALASUBRAMANIAN, K.: Nuclear spin multiplets for five $^{13}C_{78}$ fullerene isomers, 655
BANKS, M. R., *see* Jones, A. C.
BARKER, J. A.: Surface tension and atomic interactions in simple liquids. Argon, krypton and xenon, 815
BARRON, L. D., *see* Hecht, L.
BEARPARK, M. J., HANDY, N. C., PALMIERI, P., and TARRONI, R.: Spin–orbit interactions from self consistent field wavefunctions, 479
BEDEAUX, D., *see* Blokhuis, E. M.
BEN SARI-ZIZI, N., and ALAMICHEL, C.: The perpendicular $\nu_4^{\pm 1} + \nu_6^{\pm 1}$ component of the rovibrational $\nu_4 + \nu_6$ band of $CH_3\ ^{79}Br$, studied in a high resolution FTIR spectrum from 3870 cm^{-1} to 4110 cm^{-1}, 515
BERGNER, A., DOLG, M., KÜCHLE, W., STOLL, H., and PREUSS, H.: *Ab initio* energy-adjusted pseudopotentials for elements of groups 13–17, 1431
BERMEJO, F. J., *see* Criado, A.
BERTRÁN, J., *see* Martí, J.
BIBEN, T., and HANSEN, J.-P.: Localized density profiles in binary colloidal suspensions, 853
BISHOP, D. M., and CYBULSKI, S. M.: Calculations of magnetic properties. III. Nuclear shielding polarizabilities for H_2, N_2, HF, and CO, 199
BISHOP, D. M., and CYBULSKI, S. M.: Electron-correlated calculations of the nuclear shielding constants and shielding polarizabilities for H_2, N_2, HF, and CO, 209
BLOKHUIS, E. M., and BEDEAUX, D.: Van der Waals theory of curved surfaces, 705
BRUNNER, H., *see* Kümmerlen, J.
BUCKINGHAM, A. D., *see* McDowell, S. A. C.
BUENKER, R. J., *see* Li, Y.
BUJÁN-NÚÑEZ, M. C., and DICKINSON, E.: Brownian dynamics model of deformable particle absorption, 431
BURDEN, F. R., and SUTCLIFFE, B. T.: Three-body calculations in laboratory-fixed hyperspherical coordinates: convergence properties using numerical wavefunctions as applied to the positronium ion e_3^-, 383
BURNELL, E. E., *see* Ter Beek, C.
BURTON, N. A., *see* Young, P.

CABLE, J. W., *see* Figgis, B. N.
CALMETTES, P., *see* Cartailler, T.
CALOGERACOS, A., and CASTILLEJO, L.: A derivation of molecular vibrational–rotational Hamiltonians, 1359

0026-8976/93 $10.00 © 1993 Taylor & Francis Ltd.

CAMINATI, W., MELANDRI, S., CORBELLI, G., FAVERO, L. B., and MEYER, R.: Chair conformation and barrier to ring puckering in 1,3-benzodioxole, 1297
CARLILE, C. J., *see* FILLAUX, F.
CARTAILLER, T., CALMETTES, P., KUNZ, W., TURQ, P., and ROSSY-DELLUC, S.: Cryptates as model Brownons. I. Small-angle neutron scattering experiments, 833
CARTER, S., *see* Li, Y.
CASTILLEJO, L., *see* Calogeracos, A.
CHAKRABORTI, P. K., *see* Talukdar, R.
CHAN, KWONG-YU *see* Lo, Wai Yin
CHAPMAN, W. G., *see* Etesse, P.
CHAPMAN, W. G., *see* Ghonasgi, D.
CHATTERJEE, A., and WIDOM, B.: Model lamellar–lamellar phase equilibria, 741
CICCOTTI, G., *see* Paolini, G. V.
CLEAVER, D. J., and ALLEN, M. P.: Computer simulation of liquid crystal films, 253
CLEPHAS, M. P. J. W., *see* Willems, J.-P.
COOK, D. B., FOWLER, P. W., and PICKUP, B. T.: Variational freedom in self-consistent field calculations with basis sets, 213
CORBELLI, G., *see* Caminati, W.
CORNELISSE, P. M. W., PETERS, C. J., and DE SWAAN ARONS, J.: Simultaneous prediction of phase equilibria, interfacial tension and concentration profiles, 941
COURTEMANCHE, D. J., PASMORE, T. A., and VAN SWOL, F.: A molecular dynamics study of prefreezing. Hard spheres at a smooth hard wall, 861
CRACKNELL, R. F., NICHOLSON, D., and QUIRKE, N.: A grand canonical Monte Carlo study of Lennard-Jones mixtures in slit shaped pores, 885
CRIADO, A., BERMEJO, F. J., GARCIA-HERNÁNDEZ, M., and MARTINEZ, J. L.: Lattice dynamics of ortho-terphenyl. Implications for the current tests of mode coupling theories of the liquid–glass transition, 1263
CYBULSKI, S. M., *see* BISHOP, D. M.
CZEGLEDY, F. P., *see* SORCE, D. J.

DALE, M. J., *see* Jones, A. C.
DE BOER, E., *see* Willems, J.-P.
DE PABLO, J. J., LASO, M., SIEPMANN, J. I., and SUTER, U. W.: Continuum-configurational-bias Monte Carlo simulations of long-chain alkanes, 55
De SWAAN ARONS, J., *see* Cornelisse, P. M. W.
DICKINSON, E., *see* BUJÁN-NÚÑEZ, M. C.
DOBBS, H. T., and YEOMANS, J. M.: Capillary condensation within an array of cylinders, 877
DÖGE, G., SCHNEIDER, D., and MORRESI, A.: The negative Raman non-coincidence effect of ring vibrations, 525
DOLG, M., *see* Bergner, A.
DORFMULLER, TH., *see* Strehle, F.
DUBEY, G. S., O'SHEA, S. F., and MONSON, P. A.: Vapour–liquid equilibria for two centre Lennard-Jones diatomics and dipolar diatomics, 997
DURAN, M., *see* Martí, J.
DYKSTRA, C. E., *see* Augspurger, J. D.

EGGENBERGER, R., GERBER, S., HUBER, H., SEARLES, D., and WELKER, M.: The use of molecular dynamics simulations with *ab initio* SCF calculations for the determination of the oxygen-17 quadrupole coupling constant in liquid water, 1177
ELDRIDGE, M. D., MADDEN, P. A., and FRENKEL, D.: A computer simulation investigation into the stability of the AB_2 superlattice in a binary hard sphere system, 987
ENGELS, B., *see* Staikova, M.
ENIKEEV, K. M., *see* Gaisin, N. K.
ETESSE, P., CHAPMAN, W. G., and KOBAYASHI, R.: Nuclear magnetic resonance measurement of spin–lattice relaxation and self-diffusion in supercritical CO_2-*n*-hexadecane mixtures, 1145
EVANS, D. J., *see* Murad, S.
EVANS, D. J.: The equivalence of Norton and Thévenin ensembles, 221

EVANS, G. T., *see* Samborski, A.
EVANS, G. T., *see* Tang, Shuang
EVANS, R., HENDERSON, J. R., HOYLE, D. C., PARRY, A. O., and SABEUR, Z. A.: Asymptotic decay of liquid structure: oscillatory liquid–vapour density profiles and the Fisher–Widom line, 755

FARANTOS, S. C., and ZACHILAS, L.: Testing molecular potential functions with bifurcation diagrams of periodic orbits, 1499
FAVERO, L. B., *see* Caminati, W.
FELLER, S. E., and MCQUARRIE, D. A.: Calculation of the force between planar electrical double layers containing counterion mixtures, 721
FERRARIO, M., *see* Paolini, G. V.
FIGGIS, B. N., REYNOLDS, P. A., and CABLE, J. W.: Spatial distribution of magnetization in the anisotropic $Co(H_2O)_6^{2+}$ ion from polarized neutron diffraction, 1377
FILLAUX, F., CARLILE, C. J., and KEARLEY, G. J.: Rotational tunnelling and the rotational potential of methyl groups in the zinc, manganese and cobalt chloride salts of 4-methylpyridine, 671
FONSECA, I. M. A., *see* Lobo, L. Q.
FOWLER, P. W., *see* Cook, D. B.
FOWLER, P. W., *see* Kelly, H. M.
FREIRE, J. J., *see* Rodriguez, A. L.
FRENKEL, D., *see* Eldridge, M. D.
FRENKEL, D., *see* Lynden-Bell, R. M.

GAISIN, N. K., MANYROV, I. R., and ENIKEEV, K. M.: Cross-correlation effects in the spin–lattice relaxation of ethanol methylene ^{13}C, 1047
GARCIA-HERNÁNDEZ, M., *see* Criado, A.
GERBER, S., *see* Eggenberger, R.
GHONASGI, D., and CHAPMAN, W. G.: Theory and simulation for associating chain fluids, 161
GIVEN, J. A., *see* Levelt Sengers, J. M. H.
GOLDEN, K. I., MARCH, N. H., and RAY, A.K.: Three-particle correlation function and structural theories of dense metallic liquids, 915
GOSNEY, I., *see* Jones, A. C.
GRABEN, H. W., and RAY, J. R.: Eight physical systems of thermodynamics, statistical mechanics, and computer simulations, 1183
GREEN, D. V. S., *see* Young, P.
GRICE, R., and SMITH, D. J.: Angular distributions of reactive scattering arising from persistent complexes with dissociation at arbitrary angles to the inertial axes of the transition state, 1533
GUBBINS, K. E., *see* Müller, E. A.
GUBBINS, K. E., *see* Shaoyi, Jiang
GUBBINS, K. E., *see* Walsh, J. M.
GUSTAFSSON, S., and HALLE, B.: Group theoretical analysis of nuclear spin relaxation in liquid crystals and molecular solids, 549

HAFSKJOLD, B., IKESHOJI, T., and RATKJE, S. K.: On the molecular mechanism of thermal diffusion in liquids, 1389
HALL, C. K., *see* Yethiraj, A.
HALLE, B., *see* Gustafsson, S.
HANDY, N. C., *see* Bearpark, M. J.
HANDY, N. C., *see* Laming, G. J.
HANSEN, J.-P., *see* Biben, T.
HANSEN, W. N., KHARKATS, Y. I., and ULSTRUP, J.: Charge flow and spatial boundary conditions for potential monitoring in double-layer emersion, 1331
HARADA, M., *see* Kinoshita, M.
HATANO, M., *see* Konami, H.
HAUTMAN, J., and KLEIN, M. L.: Effects of particle size fluctuations in a breathing Lennard-Jones liquid, 647

HECHT, L., and BARRON, L. D.: Optical activity operators with ill defined time reversal and Hermiticity characteristics, 601
HENDERSON, D. J., *see* Trokhymchuk, A. D.
HENDERSON, D., *see* LO, Wai Yin
HENDERSON, J. R., *see* Evans, R.
HETTEMA, H., WORMER, P. E. S., and THAKKAR, A. J.: Intramolecular bond length dependence of the anisotropic dispersion coefficients for interactions of rare gas atoms with N_2, CO, Cl_2, HCl and HBr, 533
HILLIER, I. H., *see* Young, P.
HIRSCH, G., *see* Li, Y.
HOLOVKO, M. F., *see* Kalyuzhnyi, Yu. V.
HOLOVKO, M. F., *see* Trokhymchuk, A. D.
HOYLE, D. C., *see* Evans, R.
HUBER, H., *see* Eggenberger, R.

IGEL-MANN, G., STOLL, H., and PREUSS, H.: Structure and ionization potentials of clusters containing heavy elements. I. Homonuclear group V clusters up to hexamers, 325
IGEL-MANN, G., STOLL, H., and PREUSS, H.: Structure and ionization potentials of clusters containing heavy elements. II. Homonuclear group VI clusters up to hexamers, 341
IKEDA, Y., *see* Konami, H.
IKESHOJI, T., *see* Hafskjold, B.

JACKSON, G., *see* Sear, R. P.
JEENER, J., *see* Lippens, G.
JONES, A. C., DALE, M. J., BANKS, M. R., GOSNEY, I., and LANGRIDGE-SMITH, P. R. R.: Delayed ionization of laser desorbed C_{60} molecules following 193 nm photoexcitation, 583

KALPAXIS, P., and RICKAYZEN, G.: Structure of a confined fluid of hard ellipsoids, 391
KALYUZHNYI, YU. V., and HOLOVKO, M. F.: An analytical study of the effects of association in a 2–2 electrolyte solution. I. Associative mean spherical approximation, 1165
KAPUY, E., and KOZMUTZA, C.: Calculations for the CH_4 molecule in the framework of the localized many-body perturbation theory, 191
KAPUY, E., *see* KOZMUTZA, C.
KARTHA, V. B., *see* Talukdar, R.
KATOH, M., *see* Yamazaki, T.
KATZ, J., *see* Sorce, D. J.
KEARLEY, G. J., *see* Fillaux, F.
KELLY, H. M., and FOWLER, P. W.: Quadrupole polarizabilities of anions in crystals, 135
KHARKATS, Y. I., *see* Hansen, W. N.
KILIAN, H.-G., *see* Peng, W.-G.
KINOSHITA, M., HARADA, M., and SHIOI, A.: Singularity of the HNC equation occurring at a very high density for hard spheres. II, 1253
KLEIN, M. L., *see* Hautman, J.
KOBAYASHI, R., *see* Etesse, P.
KOHLER, F., and VAN NHU, N.: The second virial coefficients of some halogenated ethanes, 795
KONAMI, H., IKEDA, Y., HATANO, M., and MOCHIZUKI, K.: Electronic spectra of benzo-substituted phthalocyanines, 153
KOZMUTZA, C., *see* Kapuy, E.
KOZMUTZA, C., TFIRST, E., and KAPUY, E.: Calculation of the interaction energy in a localized representation for several diatomic systems, 1059
KÜCHLE, W., *see* Bergner, A.
KÜMMERLEN, J., LEITNER, A., BRUNNER, H., AUSSENEGG, F. R., and WOKAUN, A.: Enhanced dye fluorescence over silver island films: analysis of the distance dependence, 1031
KUNZ, W., *see* Cartailler, T.
KUSALIK, P. G.: The distribution of fluctuations of the total dipole moment in polar liquids, 225

LABÍK, S., *see* Smith, W. R.
LAGO, S., *see* Rodríguez, A. L.

LAMING, G. J., HANDY, N. C., and AMOS, R. D.: Kohn–Sham calculations on open-shell diatomic molecules, 1121
LANGRIDGE-SMITH, P. R. R., *see* Jones, A. C.
LASO, M., *see* De Pablo, J. J.
LEITNER, A., *see* Kümmerlen, J.
LEVELT SENGERS, J. M. H., and GIVEN, J. A.: Critical behaviour of ionic fluids, 899
LEVESQUE, D., *see* Weis, J. J.
LI, Y., CARTER, S., HIRSCH, G., and BUENKER, R. J.: Theoretical calculation of the potential surfaces and vibrational frequencies of the $A^2\Sigma^+$ and $X^2\Pi$ electronic states of the NCO radical, 145
LI, Z. X., LU, J. R., STYRKAS, D. A., THOMAS, R. K., RENNIE, A. R., and PENFOLD, J.: The structure of the surface of ethanol/water mixtures, 925
LIPPENS, G., VAN BELLE, D., WODAK, S. J., and JEENER, J.: T_1 relaxation time of water from a molecular dynamics simulation, 1469
LIPUS, K., *see* Stackmann, V.
LO, WAI YIN, CHAN, KWONG-YU, and HENDERSON, D.: Improved Monte Carlo simulations of the structure of ion–dipole mixtures, 1021
LOBO, L. Q., and FONSECA, I. M. A.: Ternary contribution to the excess Gibbs energy for a liquid mixture involving molecularly simple polar components, 789
LU, J. R., *see* Li, Z. X.
LUCKHURST, G. R., and SIMMONDS, P. S. J.: Computer simulation studies of anisotropic systems. XXI. Parametrization of the Gay–Berne potential for model mesogens, 233
LYNDEN-BELL, R. M., VAN DUIJNEVELDT, J. S., and FRENKEL, D.: Free energy changes on freezing and melting ductile metals, 801

MADDEN, P. A., *see* Eldridge, M. D.
MAGILL, J. H., *see* Zemke, K.
MANYROV, I. R., *see* Gaisin, N. K.
MARCH, N. H., *see* Golden, K. I.
MARTÍ, J., ANDRÉS, J. L., BERTRÁN, J., and DURAN, M.: Molecular electric properties and nuclear and vibrational relaxation. An *ab initio* study of HF, CH_4 and C_2H_4, 625
MARTINEZ, J. L., *see* Criado, A.
MCDOWELL, S. A. C., and BUCKINGHAM, A. D.: A study of the induced dipole moments in Li^+F^- and $Li^+\cdots Ne$, 1555
MCQUARRIE, D. A., *see* Feller, S. E.
MEATH, W. J., *see* Wheatley, R. J.
MELANDRI, S., *see* Caminati, W.
MERONI, A., REATTO, L., and TAU, M.: Differential approach to the theory of fluids in the presence of two- and three-body potentials and study of the critical point of krypton, 977
MEYER, R., *see* Caminati, W.
MICHELOT, F., and SCHWARTZMANN, T.: Symmetry of molecular properties. I. Theory and applications to vibration–rotation properties of spherical top molecules, 1269
MOCHIZUKI, K., *see* Konami, H.
MONCRIEFF, D., *see* Wilson, S.
MONSON, P. A., *see* Dubey, G. S.
MORRESI, A., *see* Döge, G.
MOSS, R. E.: Calculations for the vibration–rotation levels of H_2^+ in its ground and first excited electronic states, 1541
MOURITSEN, O. G., *see* Zhang, Z.
MÜLLER, E. A., and GUBBINS, K. E.: Simulation of hard triatomic and tetratomic molecules. A test of associating fluid theories, 957
MÜLLER, E. A., and GUBBINS, K. E.: Triplet correlation function for hard sphere systems, 91
MURAD, S., and EVANS, D. J.: Heat-induced polarization of molecular fluids: addendum, 219

NAIDOO, K. J., SCHNITKER, J., and WEEKS, J. D.: Two-dimensional melting revisited. Molecular dynamics simulations initiated with optical microscopy data, 1
NICHOLSON, D., *see* Cracknell, R. F.

O'Shea, S. F., *see* Dubey, G. S.
Ogilvie, J. F., *see* Teffo, J.-L.
Ogino, Y., *see* Yamazaki, T.
Overbeek, J. T. G.: On the interaction of highly charged plates in an electrolyte: a correction, 685
Ozawa, S., *see* Yamazaki, T.

Palmieri, P., *see* Bearpark, M. J.
Panagiotopoulos, A. Z., *see* Recht, J. R.
Paolini, G. V., Ciccotti, G., and Ferrario, M.: Simulation of site–site soft-core liquid crystal models, 297
Parry, A. O., *see* Evans, R.
Pasmore, T. A., *see* Courtemanche, D. J.
Penfold, J., *see* Li, Z. X.
Peng, W.-G., Strauss, M., Pieper, T., and Kilian, H.-G.: X-ray diffraction and model calculation on carbon blacks, 419
Pergamenshchik, V. M., *see* Teixeira, P. I. C.
Perić, M., *see* Staikova, M.
Perković, S., Szleifer, I., and Widom, B.: Structure and tension of the boundary between surface phases, 729
Peters, C. J., *see* Cornelisse, P. M. W.
Peyerimhoff, S. D., *see* Staikova, M.
Pickup, B. T., *see* Cook, D. B.
Pieper, T., *see* Peng, W.-G.
Preuss, H., *see* Bergner, A.
Preuss, H., *see* Igel-Mann, G.
Pritchard, H. O., *see* Shen, D.

Quirke, N., *see* Cracknell, R. F.

Ratkje, S. K., *see* Hafskjold, B.
Ray, A. K., *see* Golden, K. I.
Ray, J. R., *see* Graben, H. W.
Reatto, L., *see* Meroni, A.
Recht, J. R., and Panagiotopoulos, A. Z.: Finite-size effects and approach to criticality in Gibbs ensemble simulations, 843
Reh, M., Röder, M., and Versmold, H.: Depolarized Rayleigh and Raman scattering from N_2. Experimental verification of a neglected broadening/narrowing mechanism for rotation–vibration bands in fluids, 407
Rennie, A. R., *see* Li, Z. X.
Reynolds, P. A., *see* Figgis, B. N.
Rickayzen, G., Phase transitions in molecular fluids. The restricted orientation model, 1093
Rickayzen, G., *see* Kalpaxis, P.
Robledo, A., *see* Romero-Rochín, V.
Röder, M., *see* Reh, M.
Rodríguez, A. L., Vega, C., Freire, J. J., and Lago, S.: Improved results for the potential parameters of methyl and methylene obtained from second virial coefficients of n-alkanes, 1565
Romero-Rochín, V., Varea, C., and Robledo, A.: Stress tensor of curved interfaces, 821
Rossy-Delluc, S., *see* Cartailler, T.

Sabeur, Z. A., *see* Evans, R.
Samborski, A., and Evans, G. T.: A phase diagram for non-spherical molecules with spherical square wells. Isotropic and nematic phases, 1257
Schindler, H., Vogelsang, R., Staemmler, V., Siddiqi, M. A., and Svejda, P.: *Ab initio* intermolecular potentials of methane, nitrogen and methane + nitrogen and their use in Monte Carlo simulations of fluids and fluid mixtures, 1413

SCHMIDT-ROHR, K., *see* Zemke, K.
SCHNEIDER, D., *see* Döge, G.
SCHNITKER, J., *see* Naidoo, K. J.
SCHWARTZMANN, T., *see* Michelot, F.
SEAR, R. P., AMOS, M. D., and JACKSON, G.: Bonded hard-sphere theory and computer simulations of polyatomic hard-sphere models of alkanes and their derivatives, 777
SEARLES, D., *see* Eggenberger, R.
SHAOYI, JIANG, GUBBINS, K. E., and ZOLLWEG, J. A.: Absorption, isosteric heat and commensurate–incommensurate transition of methane on graphite, 103
SHEN, D., and PRITCHARD, H. O.: Does black-body radiation cause intramolecular vibrational relaxation?, 1135
SHEOREY, V. B., *see* Sinha, S.
SHIOI, A., *see* Kinoshita, M.
SIDDIQI, M. A., *see* Schindler, H.
SIEPMANN, J. I., *see* De Pablo, J. J.
SILLESCU, H., *see* Zemke, K.
SIMMONDS, P. S. J., *see* Luckhurst, G. R.
SIMONSON, T.: Free energy of particle insertion. An exact analysis of the origin singularity for simple liquids, 441
SINHA, S., and SHEOREY, V. B.: Discrete Hamiltonian symmetries and semiclassical quantization, 1525
SLUCKIN, T. J., *see* Teixeira, P. I. C.
SMITH, D. J., *see* Grice, R.
SMITH, W. R., and LABÍK, S.: Two new exact criteria for hard-sphere mixtures, 1561
SORCE, D. J., KATZ, J., and CZEGLEDY, F. P.: Multiple-quantum filters of arbitrary phases for spin 3/2 nuclei, 1067
SPEEDY, R. J., The entropy of a glass, 1105
SPIESS, H. W., *see* Zemke, K.
STACKMANN, V., LIPUS, K., and URBAN, W.: The infrared laser magnetic resonance spectrum of SbH ($X^3\Sigma^-$), 635
STAEMMLER, V., *see* Schindler, H.
STAIKOVA, M., ENGELS, B., PERIĆ, M., and PEYERIMHOFF, S. D.: *Ab initio* calculations of the vibronically averaged hyperfine coupling constants in the $1^2\Pi_u(X^2B_1,A^2A_1)$ state of the water cation, 1485
STARIKOV, E. B.: On the electronic subsystem of nucleic acid crystallohydrates. Do nucleotides remain intact in the solid state?, 1459
STOLL, H., *see* Bergner, A.
STOLL, H., *see* Igel-Mann, G.
STRAUSS, M., *see* Peng, W.-G.
STREHLE, F., and DORFMULLER, TH.: Raman spectroscopic study of the single dynamics of CS_2 in liquid binary mixtures with CCl_4, 449
STYRKAS, D. A., *see* Li, Z. X.
SU, MING-DER: Relative strengths of axial and equatorial bonds and site preferences for ligand substitution in σ-bonded T-shaped EL_3 complexes, 1223
SUTCLIFFE, B. T., *see* Burden, F.R.
SUTER, U. W., *see* De Pablo, J. J.
SVEJDA, P., *see* Schindler, H.
SZLEIFER, I., *see* Perković, S.

TALUKDAR, R., BAJAJ, P. N., CHAKRABORTI, P. K., and KARTHA, V. B.: Condensation of SF_6 in seeded supersonic jets, 127
TANG, SHUANG, and EVANS, G. T.: A critique of slip and stick hydrodynamics for ellipsoidal bodies, 1443
TARRONI, R., *see* Bearpark, M. J.
TAU, M., *see* Meroni, A.
TEFFO, J.-L., and OGILVIE, J. F.: Born–Oppenheimer effects and vibration–rotational spectra of linear molecules. II. Application to CO_2, 1507

TEIXEIRA, P. I. C., PERGAMENSHCHIK, V. M., and SLUCKIN, T. J.: A model calculation of the surface elastic constants of a nematic liquid crystal, 1339
TER BEEK, C., ZIMMERMAN, D. S., and BURNELL, E. E.: The orientation of molecules with internal rotation in nematic phases, 177
TFIRST, E., *see* Kozmutza, C.
THAKKAR, A. J., *see* Hettema, H.
THOMAS, R. K., *see* Li, Z. X.
TILDESLEY, D. J.: Professor John S. Rowlinson, 701
TROKHYMCHUK, A. D., HOLOVKO, M. F., and HENDERSON, D. J.: The contribution of dipole alignment to the force between macroions in an ion-dipole fluid, 1009
TURQ, P., *see* Cartailler, T.

ULSTRUP, J., *see* Hansen, W. N.
URBAN, W., *see* Stackmann, V.

VAN BELLE, D., *see* Lippens, G.
VAN DUIJNEVELDT, J. S., *see* Lynden-Bell, R. M.
VAN NHU, N., *see* Kohler, F.
VAN SWOL, F., *see* Courtemanche, D. J.
VAREA, C., *see* Romero-Rochin, V.
VEGA, C., *see* Rodríguez, A. L.
VERSMOLD, H., *see* Reh, M.
VOGELSANG, R., *see* Schindler, H.

WALSH, J. M., and GUBBINS, K. E.: The liquid structure and thermodynamic properties of Lennard-Jones spheres with association sites, 65
WEEKS, J. D., *see* Naidoo, K. J.
WEIS, J. J., LEVESQUE, D., and ZARRAGOICOECHEA, G. J.: Singlet orientational distribution function and dielectric permittivity of dipolar spherocylinders in the nematic phase, 1077
WELKER, M., *see* Eggenberger, R.
WHEATLEY, R. J., and MEATH, W. J.: Dispersion energy damping functions, and their scale with interatomic separation, for (H, He, Li)–(H, He, Li) interactions, 25
WIDOM, B., *see* Chatterjee, A.
WIDOM, B., *see* Perković, S.
WILLEMS, J.-P., CLEPHAS, M. P. J. W., and DE BOER, E.: EPR measurements on $K_3Co(CN)_6$ doped with $K_3Fe(CN)_6$: a determination of the polytype crystal structure of $K_3Co(CN)_6$, 607
WILSON, M. R., and ALLEN, M. P.: Computer simulation study of liquid crystal formation in a semi-flexible system of linked hard spheres, 277
WILSON, S., and MONCRIEFF, D.: Can the ground state energy of H_2^+ be obtained to sub-microhartree accuracy with a basis set of s-type Gaussian functions?, 461
WODAK, S. J., *see* Lippens, G.
WOKAUN, A., *see* Kümmerlen, J.
WORMER, P. E. S., *see* Hettema, H.
WOŹNIAK, S.: Optically induced circular and axial birefringence and dichroism in molecular systems. I. Electric dipole and magnetic dipole transitions, 355

YAMAZAKI, T., KATOH, M., OZAWA, S., and OGINO, Y.: Absorption of CO_2 over univalent cation-exchanged ZSM-5 zeolites, 313
YEOMANS, J. M., *see* Dobbs, H. T.
YETHIRAJ, A., and HALL, C. K.: On equations of state for hard chain fluids, 469
YETHIRAJ, A.: Local structure of tangent-hard-sphere diatomic fluids, 695
YOUNG, P., GREEN, D. V. S., HILLIER, I. H., and BURTON, N. A.: Assessment of quantum mechanical continuum models of solvation: the prediction of tautomer equilibria, partition coefficients and amine basicity, 503

ZACHILAS, L., *see* Farantos, S. C.
ZARRAGOICOECHEA, G. J., *see* Weis, J. J.
ZEMKE, K., SCHMIDT-ROHR, K., MAGIL, J. H., SILLESCU, H., and SPIESS, H. W.: Molecular dynamics near the glass transition. A two-dimensional ^{13}C NMR study of 1,3,5-tri-α-naphthylbenzene, 1317
ZHANG, Z., ZUCKERMANN, M. J., and MOURITSEN, O. G.: Phase transition and director fluctuations in the three-dimensional Lehwohl–Lasher model of liquid crystals, 1195
ZIMMERMAN, D. S., *see* Ter Beek, C.
ZOLLWEG, J. A., *see* Shaoyi, Jiang
ZUCKERMANN, M. J., *see* Zhang, Z.